

49 CFR Shipping Instructions for GROUND Transportation

UN3480, LITHIUM ION BATTERIES, 9 (§ 173.185(c) → Small, exempted lithium cells & batteries)

ONLY TRAINED HAZMAT EMPLOYEES MAY SHIP LITHIUM BATTERIES USING THIS GUIDE.

Some batteries are regulated when shipped or offered for transportation. If the battery is restricted, then all applicable hazardous materials regulations must be met. This guide provides information to assist you in how to ship the battery by road.



How can I tell if the battery is regulated?

Some batteries are regulated when shipped or offered for transportation. If the battery is restricted, then all applicable hazardous materials regulations must be met. This guide provides information to assist you in how to ship the battery by road.



These instructions have been specifically prepared for the shipment of **small lithium ion batteries** (i.e., with a capacity not exceeding 100 Wh per battery) prepared in accordance with the provisions of the exemption in § 173.185(c) of the 49 CFR (revised as of October 1, 2025).

DO NOT USE THESE SHIPPING INSTRUCTIONS FOR OTHER BATTERY TYPES.

All employees are responsible for compliance with applicable domestic and international dangerous goods transport regulations. All employees must be dangerous goods trained prior to using this shipping template. All information in this shipping template is accurate through the date of revision and must be validated against the regulations yearly and updated as regulations change.



DG Shipping Guide #32 – 49 CFR
LITHIUM ION BATTERIES
(Exempted Class 9 Shipment per § 173.185(c))

Revision Date: 10/24/2025

Page 2 of 6

[Guide #32]

DESCRIPTION

Items

(Identify and insert the description of items that may be shipped utilizing this template in this section.)

SHIPPING BY GROUND (49 CFR)

Shipping Location

Transport by Road / Motor Carrier

Shipping Company

(Identify in this section the carriers used and carrier requirements)
(i.e., Motor carriers such as ...)

NOTE:

Damaged, defective or recalled cells or batteries, that have the potential of producing a dangerous evolution of heat, fire, or short circuit (including those being returned to the manufacturer for safety reasons) and are offered for road or rail transport must be prepared in accordance with the provisions detailed in §173.185(f).
Batteries meant for disposal or recycling must be prepared in accordance with the provisions in § 173.185(d).

CLASSIFICATION

UN Number & Proper Shipping Name

UN3480, LITHIUM ION BATTERIES

Battery Testing Data

LITHIUM CELLS OR BATTERIES MUST MEET THE REQUIREMENTS OF EACH TEST IN THE *UN Manual of Tests and Criteria, Part III, subsection 38.3*.
A cell or battery and equipment containing a cell or battery that was first transported prior to January 1, 2006, and is of a type proven to meet the criteria of Class 9 by testing in accordance with the tests in the UN Manual of Tests and Criteria, Third Revised Edition, 2003, need not be retested.

Battery Test Summary

A battery test summary complying with the requirements of the UN Manual of Tests and Criteria, Part III, Subsection 38.3, Paragraph 38.3.3.5 is required to prove all cells/batteries have been properly tested.
The battery test summary is not a transport document and is not required to be provided as a transport document. However, some carriers may request a copy be provided.

Site Testing Data

(Insert the location of battery testing documentation and/or attach to the shipping instructions)

All employees are responsible for compliance with applicable domestic and international dangerous goods transport regulations. All employees must be dangerous goods trained prior to using this shipping template. All information in this shipping template is accurate through the date of revision and must be validated against the regulations yearly and updated as regulations change.



DG Shipping Guide #32 – 49 CFR
LITHIUM ION BATTERIES
(Exempted Class 9 Shipment per § 173.185(c))

Revision Date: 10/24/2025

Page 3 of 6

[Guide #32]

CLASSIFICATION

Special Provisions 388, 422, A54, A100

PACKAGING

Packing Requirements § 173.185(c)

Watt-hour Rating Lithium ion cell ≤ 20 Wh
Lithium ion battery ≤ 100 Wh

Limit per package Gross weight of the package cannot exceed 30 kg (66 pounds)

Short Circuit Prevention *The site must identify and insert information on how this will be done for applicable shipments.*

Cells or batteries separated or packaged in a manner to prevent short circuits (i.e., place a single battery in a plastic bag and then place in a package).


THE CELLS OR BATTERIES MUST INCORPORATE A SAFETY VENTING DEVICE OR BE DESIGNED NOT TO RUPTURE UNDER THE NORMAL CONDITIONS OF TRANSPORT.

Each battery containing cells or a series of cells connected in parallel must be equipped with an effective means, as necessary, to prevent dangerous reverse current flow (e.g., diodes, fuses).

Packaging LITHIUM CELLS AND BATTERIES MUST BE PACKED IN STRONG OUTER PACKAGING.
Each lithium cell and battery must be packed in a non-metallic inner packaging that completely encloses it and separates it from contact with equipment, other devices or conductive materials in the outer packaging before being placed in a strong outer packaging.
The package must be capable of withstanding a 1.2-meter drop test in any orientation without damage to cells or batteries contained in the package, without shifting of the contents that would allow short circuiting and without release of package contents.

Type of Packaging *(Insert the type of packagings to be used. In addition, insert closure instructions or location of the closure instructions to be used.)*

PACKAGING



Disposal or Recycling (see § 173.185(d))

A lithium cell or battery offered for transportation or transported by motor vehicle to a permitted storage facility, disposal site, or for purposes of recycling is not required to meet the testing in the UN Manual of Tests and Criteria, is not required to incorporate a safety venting device, and is not required to be packed in UN Specification packaging if it is protected against short circuits and packed in a strong outer packaging conforming to the requirements of §§ 173.24 (General Requirements for packagings and packages) and 173.24a (Additional General Requirements for non-bulk packagings and packages).

MARKING / LABELING

Marking & Labeling

Mark the package with the battery mark, as well as the name and address of the shipper or consignee. If not already displayed, add “UN3480” to the mark.

Note: A telephone number may remain on the mark through December 31, 2026, but is no longer required.



The outside of each package that contains lithium ion cells or batteries shipped by themselves must also be marked with one of the following statements:

LITHIUM ION BATTERIES—FORBIDDEN FOR TRANSPORT ABOARD PASSENGER AIRCRAFT” OR
“LITHIUM BATTERIES – FORBIDDEN FOR TRANSPORT ABOARD PASSENGER AIRCRAFT”

Alternatively, the CARGO AIRCRAFT ONLY label may be used.



Example of completed package for transportation by road:



| DOCUMENTATION | |
|--|--|
| Document Type | Document not required |
| REPORTING Requirements | A written report submitted, retained, and updated in accordance with § 171.16 is required if a fire, violent rupture, explosion or dangerous evolution of heat occurs as a direct result of a lithium battery or battery-powered device. |
| TRAINING REQUIREMENTS | |
| Training Requirements | <p>Employees must be informed of the requirements of this shipping guide before offering small lithium batteries for transport.</p> <p>It is recommended that employees receive hazardous material general awareness training as well prior to preparing and offering lithium batteries for transport.</p> |
| STORAGE | |
| Storage Location & Special Considerations | <i>(Insert storage requirements or special considerations.)</i> |

All employees are responsible for compliance with applicable domestic and international dangerous goods transport regulations. All employees must be dangerous goods trained prior to using this shipping template. All information in this shipping template is accurate through the date of revision and must be validated against the regulations yearly and updated as regulations change.



DG Shipping Guide #32 – 49 CFR
LITHIUM ION BATTERIES
(Exempted Class 9 Shipment per § 173.185(c))

Revision Date: 10/24/2025

Page 6 of 6

[Guide #32]

REFERENCES

| | |
|------------------------------------|---|
| Code of Federal Regulations | 49 CFR Parts 100 to 185; October 1, 2025. |
| Packing Requirements | § 173.185(c) |
| UN Specification Packaging | Part 178, Subparts L and M |
| Marking | § 172.301 |
| Labeling | § 172.400(a) |
| Documentation | § 172.202 |
| Exemptions | § 173.185(c) |
| Training Requirements | § 172.704 |

All employees are responsible for compliance with applicable domestic and international dangerous goods transport regulations. All employees must be dangerous goods trained prior to using this shipping template. All information in this shipping template is accurate through the date of revision and must be validated against the regulations yearly and updated as regulations change.